

| L Number | Hits  | Search Text   | DB                 | Time stamp       |
|----------|-------|---|--------------------|------------------|
| 1        | ✓28   | (277/924).CCLS.   | EPO; JPO           | 2004/08/20 06:37 |
| 2        | ✓1430 | (277/358,377,379,380,381,404,407,935,938).CCLS.   | USPAT;<br>US-PGPUB | 2004/08/20 07:01 |
| 3        | 5620  | face adj seal   | USPAT;<br>US-PGPUB | 2004/08/20 08:22 |
| 4        | 1565  | face adj seal   | USOCR              | 2004/08/20 07:01 |
| 5        | 1966  | face adj seal   | DERWENT            | 2004/08/20 07:01 |
| 6        | 922   | face adj seal and (graphite or fibrous or fiber or fibre)   | USPAT;<br>US-PGPUB | 2004/08/20 07:06 |
| 7        | ✓140  | face adj seal and (graphite or fibrous or fiber or fibre) and split   | USPAT;<br>US-PGPUB | 2004/08/20 07:25 |
| 8        | ✓72   | (face adj seal) with (graphite or fibrous or fiber or fibre)  | USPAT;<br>US-PGPUB | 2004/08/20 07:25 |
| 9        | ✓72   | (face adj seal) with (graphite or fibrous or fiber or fibre)  | USPAT;<br>US-PGPUB | 2004/08/20 07:28 |
| 10       | ✓5    | (face adj seal) with (graphite or fibrous or fiber or fibre) and (self\$lubricat\$ or (self adj lubricat\$))                          | USPAT;<br>US-PGPUB | 2004/08/20 07:40 |
| 11       | ✓1    | (face adj seal) same (fibrous or fiber or fibre) same (self\$lubricat\$ or (self adj lubricat\$))                                     | USPAT;<br>US-PGPUB | 2004/08/20 08:51 |
| 12       | ✓1    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (self\$lubricat\$ or (self adj lubricat\$)))             | USPAT;<br>US-PGPUB | 2004/08/20 07:42 |
| 13       | ✓2    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | USPAT;<br>US-PGPUB | 2004/08/20 07:44 |
| 14       | 0     | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | USOCR              | 2004/08/20 07:44 |
| 15       | ✓1    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | DERWENT            | 2004/08/20 07:44 |
| 16       | ✓80   | (face adj seal) with split  | USPAT;<br>US-PGPUB | 2004/08/20 08:30 |
| 17       | ✓24   | (face adj seal) with split  | USOCR              | 2004/08/20 08:37 |
| 18       | ✓23   | (face adj seal) with split  | DERWENT            | 2004/08/20 08:37 |
| 20       | ✓294  | (277/358,377,379,380,381,404,407,935,938).CCLS.   | EPO; JPO           | 2004/08/20 08:52 |
| 19       | ✓61   | (face adj seal) same (fibrous or fiber or fibre)  | USPAT;<br>US-PGPUB | 2004/08/20 08:56 |
| 21       | ✓53   | (face adj seal) same (fibrous or fiber or fibre)  | USOCR              | 2004/08/20 08:59 |
| 22       | ✓16   | (face adj seal) same (fibrous or fiber or fibre)  | DERWENT            | 2004/08/20 08:59 |
| -        | ✓394  | (440/83,112).CCLS.  | USPAT;<br>US-PGPUB | 2004/08/19 12:58 |
| -        | ✓1    | (self\$lubricating or (self adj lubricating)) same split same ring same face same seal  | USPAT;<br>US-PGPUB | 2004/08/19 12:15 |
| -        | ✓13   | (self\$lubricating or (self adj lubricating)) and (split same ring same face same seal)   | USPAT;<br>US-PGPUB | 2004/08/19 12:18 |
| -        | ✓121  | (self\$lubricating or (self adj lubricating)) same face same seal   | USPAT;<br>US-PGPUB | 2004/08/19 12:19 |
| -        | ✓2    | ((self\$lubricating or (self adj lubricating)) same face same seal) and (stern adj tube)  | USPAT;<br>US-PGPUB | 2004/08/19 12:19 |
| -        | 409   | (self\$lubricating or (self adj lubricating)) same face same seal   | USOCR              | 2004/08/19 12:20 |
| -        | 12    | (self\$lubricating or (self adj lubricating)) same (face adj seal)  | USOCR              | 2004/08/19 12:21 |
| -        | 33    | (self\$lubricating or (self adj lubricating)) and face and seal   | DERWENT            | 2004/08/19 12:27 |
| -        | 238   | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3))  | USPAT;<br>US-PGPUB | 2004/08/19 12:30 |
| -        | ✓1    | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and blank and polish\$3 and lathe                | USPAT;<br>US-PGPUB | 2004/08/19 12:29 |
| -        | ✓3    | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and blank and polish\$3                          | USPAT;<br>US-PGPUB | 2004/08/19 12:29 |
| -        | ✓13   | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and lathe  | USPAT;<br>US-PGPUB | 2004/08/19 12:29 |
| -        | ✓13   | (manufactur\$3 same (face with seal)) and (self\$lubricat\$3 or (self adj lubricat\$3))   | USPAT;<br>US-PGPUB | 2004/08/19 12:30 |
| -        | ✓157  | (440/83,112).CCLS.  | EPO; JPO           | 2004/08/19 13:00 |
| -        | ✓84   | (stern adj tube) same seal  | USPAT;<br>US-PGPUB | 2004/08/19 13:01 |
| -        | ✓102  | (stern adj tube) and seal   | DERWENT            | 2004/08/19 13:01 |

|   |      |  |          |                  |
|---|------|--|----------|------------------|
| - | ✓52  | (stern adj tube) and seal  | USOCR    | 2004/08/19 13:16 |
| - | ✓57  | (stern adj tube) and seal  | USPAT;   | 2004/08/19 13:19 |
| - | 0    | 277/306,307  | US-PGPUB |                  |
| - | ✓66  | (277/306,307).CCLS.  | USPAT;   | 2004/08/19 13:40 |
| - | ✓1   | (277/306,307).CCLS.  | US-PGPUB | 2004/08/19 13:54 |
| - | ✓435 | (277/924).CCLS.  | EPO; JPO | 2004/08/19 13:55 |
| - | ✓88  | seal and lathe and polish\$ and (self\$lubricat\$ or (self adj lubricat\$) or graphite)  | USPAT;   | 2004/08/20 06:36 |
| - | ✓14  | split and face and seal and lathe and polish\$ and (self\$lubricat\$ or (self adj lubricat\$) or graphite)                     | US-PGPUB | 2004/08/19 13:59 |
| - | ✓28  | split and face and seal and lathe and polish\$ and (self\$lubricat\$ or (self adj lubricat\$) or graphite or fiber or fibrous) | USPAT;   | 2004/08/19 14:00 |
| - | ✓8   | 277/924.ccls. and lathe  | US-PGPUB | 2004/08/19 14:01 |
| - |      |  | USPAT;   |                  |
| - |      |  | US-PGPUB | 2004/08/19 14:03 |

| L Number | Hits | Search Text   | DB       | Time stamp       |
|----------|------|---|----------|------------------|
| 1        | 28   | (277/924).CCLS.   | EPO; JPO | 2004/08/20 06:37 |
| 2        | 1430 | (277/358,377,379,380,381,404,407,935,938).CCLS.   | USPAT;   | 2004/08/20 07:01 |
| 3        | 5620 | face adj seal   | US-PGPUB | 2004/08/20 08:22 |
| 4        | 1565 | face adj seal   | USPAT;   | 2004/08/20 07:01 |
| 5        | 1966 | face adj seal   | USOCR    | 2004/08/20 07:01 |
| 6        | 922  | face adj seal and (graphite or fibrous or fiber or fibre)   | DERWENT  | 2004/08/20 07:06 |
| 7        | 140  | face adj seal and (graphite or fibrous or fiber or fibre) and split   | USPAT;   | 2004/08/20 07:25 |
| 8        | 72   | (face adj seal) with (graphite or fibrous or fiber or fibre)  | US-PGPUB | 2004/08/20 07:25 |
| 9        | 72   | (face adj seal) with (graphite or fibrous or fiber or fibre)  | USPAT;   | 2004/08/20 07:28 |
| 10       | 5    | (face adj seal) with (graphite or fibrous or fiber or fibre) and (self\$lubricat\$ or (self adj lubricat\$))                          | US-PGPUB | 2004/08/20 07:40 |
| 11       | 1    | (face adj seal) same (fibrous or fiber or fibre) same (self\$lubricat\$ or (self adj lubricat\$))                                     | USPAT;   | 2004/08/20 08:51 |
| 12       | 1    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (self\$lubricat\$ or (self adj lubricat\$)))             | US-PGPUB | 2004/08/20 07:42 |
| 13       | 2    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | USPAT;   | 2004/08/20 07:44 |
| 14       | 0    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | US-PGPUB | 2004/08/20 07:44 |
| 15       | 1    | ((face adj seal) with (fibrous or fiber or fibre)) and ((face adj seal) with (graphite or self\$lubricat\$ or (self adj lubricat\$))) | USOCR    | 2004/08/20 07:44 |
| 16       | 80   | (face adj seal) with split  | DERWENT  | 2004/08/20 07:44 |
| 17       | 24   | (face adj seal) with split  | USPAT;   | 2004/08/20 08:30 |
| 18       | 23   | (face adj seal) with split  | US-PGPUB | 2004/08/20 08:37 |
| 20       | 294  | (277/358,377,379,380,381,404,407,935,938).CCLS.   | USOCR    | 2004/08/20 08:37 |
| 19       | 61   | (face adj seal) same (fibrous or fiber or fibre)  | DERWENT  | 2004/08/20 08:52 |
| 21       | 53   | (face adj seal) same (fibrous or fiber or fibre)  | EPO; JPO | 2004/08/20 08:56 |
| 22       | 16   | (face adj seal) same (fibrous or fiber or fibre)  | USPAT;   | 2004/08/20 08:59 |
| 23       | ✓79  | face adj seal and lathe   | US-PGPUB | 2004/08/20 10:02 |
| 24       | ✓12  | face adj seal and lathe   | USOCR    | 2004/08/20 10:03 |
| 25       | ✓3   | face adj seal and lathe   | USOCR    | 2004/08/20 10:03 |
| -        | 394  | (440/83,112).CCLS.  | DERWENT  | 2004/08/19 12:58 |
| -        | 1    | (self\$lubricating or (self adj lubricating)) same split same ring same face same seal  | USPAT;   | 2004/08/19 12:15 |
| -        | 13   | (self\$lubricating or (self adj lubricating)) and (split same ring same face same seal)   | US-PGPUB | 2004/08/19 12:18 |
| -        | 121  | (self\$lubricating or (self adj lubricating)) same face same seal   | USPAT;   | 2004/08/19 12:19 |
| -        | 2    | ((self\$lubricating or (self adj lubricating)) same face same seal) and (stern adj tube)  | US-PGPUB | 2004/08/19 12:19 |
| -        | 409  | (self\$lubricating or (self adj lubricating)) same face same seal   | USPAT;   | 2004/08/19 12:20 |
| -        | 12   | (self\$lubricating or (self adj lubricating)) same (face adj seal)  | USOCR    | 2004/08/19 12:21 |
| -        | 33   | (self\$lubricating or (self adj lubricating)) and face and seal   | DERWENT  | 2004/08/19 12:27 |
| -        | 238  | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3))  | USPAT;   | 2004/08/19 12:30 |
| -        | 1    | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and blank and polish\$3 and lathe                | US-PGPUB | 2004/08/19 12:29 |
| -        | 3    | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and blank and polish\$3                          | USPAT;   | 2004/08/19 12:29 |
| -        | 13   | manufactur\$3 and (face with seal) and (self\$lubricat\$3 or (self adj lubricat\$3)) and lathe  | US-PGPUB | 2004/08/19 12:29 |
| -        | 13   | (manufactur\$3 same (face with seal)) and (self\$lubricat\$3 or (self adj lubricat\$3))   | USPAT;   | 2004/08/19 12:30 |
| -        |      |   | US-PGPUB |                  |

| L Number | Hits  | Search Text      | DB                 | Time stamp       |
|----------|-------|------------------|--------------------|------------------|
| 1        | ✓ 179 | (29/888.3).CCLS. | USPAT;<br>US-PGPUB | 2004/08/20 10:37 |
| 2        | /16   | (29/888.3).CCLS. | EPO; JPO           | 2004/08/20 10:38 |

| L Number | Hits | Search Text  | DB                 | Time stamp       |
|----------|------|--|--------------------|------------------|
| 1        | 447  | lathe and mount\$ with seal  | USPAT;<br>US-PGPUB | 2004/08/20 11:39 |
| 2        | 84   | lathe and mount\$ with threaded with fastener                                      | USPAT;<br>US-PGPUB | 2004/08/20 11:51 |
| 3        | ✓132 | lathe and (workpiece with mount\$ with (bolt or screw or (threaded adj fastener))) | USPAT;<br>US-PGPUB | 2004/08/20 11:52 |